

SAFETY DATA SHEET

Revision Date 10-Apr-2015

Version 1

1. IDENTIFICATION			
Product identifier			
Product Name	Gumout Starting Fluid		
Other means of identification			
Product Code	626231		
Document	SKU 5072866		
Synonyms	None		
Recommended use of the chemical			
Recommended Use	Starting Fluid Consumer Use		
Uses advised against	All other applications		
Details of the supplier of the sefety	data abaat		
Details of the supplier of the safety Supplier Address	Manufacturer Address Distributor		
ITW Global Brands			
6925 Portwest Dr., Suite 100			
Houston, TX 77024			
Company Phone Number	1-855-888-1988		
	r (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)		
	(RMPDC) 1-877-504-9352 (U.S.)		
E-mail address	SDS@itwgb.com		
	2. HAZARDS IDENTIFICATION		

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

NOTE: This product is a consumer product and is labeled in accordance with the US Consumer Product Safety Commission regulations which take precedence over OSHA Hazard Communication labeling. The actual container label will not include the label elements below. The labeling below applies to industrial/professional products.

Skin corrosion/irritation	Category 2
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable aerosols	Category 1
Gases under pressure	Compressed gas

Label elements

Emergency Overview

Danger

Causes skin irritation May cause drowsiness or dizziness May be fatal if swallowed and enters airways Extremely flammable Contains gas under pressure; may explode if heated



Precautionary Statements - Prevention

Do not handle until all safety precautions have been read and understood Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Use only outdoors or in a well-ventilated area Use personal protective equipment as required Do not puncture or incinerate container Contents under pressure and can explode when exposed to heat or open flame Pressurized container: Do not pierce or burn, even after use

Precautionary Statements - Response

IF IN EYES: Rinse thoroughly with water for several minutes. If eye irritation persists, get medical attention

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Call a POISON CENTER or doctor/physician if you feel unwell IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up Store in a well-ventilated place. Keep container tightly closed Do not expose to temperatures exceeding 122 °F (50 °C) Keep away from heat, sparks, flames and other ignition sources Keep out of reach of children

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

- May be harmful if swallowed
- May be harmful in contact with skin
- Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

substance(s)

Chemical Name	CAS No	Weight-%	Trade Secret
HEPTANE	142-82-5	40 - 70	*
ETHYL ETHER	60-29-7	10 - 30	*
CARBON DIOXIDE	124-38-9	3 - 7	*

*The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

Description of mist did medsures				
General advice	Get medical advice/attention if you feel unwell.			
Eye contact	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.			
Skin contact	IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Wash contaminated clothing before reuse.			
Inhalation	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician.			
Ingestion	IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.			
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.			
Most important symptoms and effe	ects, both acute and delayed			
Symptoms	See section 2 for more information.			
Indication of any immediate medic	al attention and special treatment needed			
Note to physicians	Treat symptomatically.			
	5. FIRE-FIGHTING MEASURES			
<u>Suitable extinguishing media</u> Dry chemical, CO2, water spray or regular foam <u>Unsuitable extinguishing media</u> None.				
Specific hazards arising from the c Extremely flammable. Contents unde	<u>chemical</u> r pressure and can explode when exposed to heat or flames.			
<u>Explosion data</u> Sensitivity to Mechanical Impact Sensitivity to Static Discharge	None. May be ignited by friction, heat, sparks or flames.			
Protective equipment and precautions for firefighters As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.				
6. ACCIDENTAL RELEASE MEASURES				
Personal precautions, protective equipment and emergency procedures				
Personal precautions	Ensure adequate ventilation, especially in confined areas. Avoid contact with skin, eyes and inhalation of vapors. Use personal protective equipment as required. Remove all sources of ignition.			

Methods and material for containment and cleaning up			
Methods for containment	Prevent further leakage or spillage if safe to do so.		
Methods for cleaning up	Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
	7. HANDLING AND STORAGE		
Precautions for safe handling			
Advice on safe handling	Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required.		
Conditions for safe storage, including any incompatibilities			
Storage Conditions	Keep containers tightly closed in a cool, well-ventilated place. Keep away from sunlight, ignition sources and other sources of heat. Keep out of the reach of children.		

Incompatible materials

Strong oxidizing agents

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
HEPTANE 142-82-5	STEL: 500 ppm TWA: 400 ppm	TWA: 500 ppm TWA: 2000 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 1600 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 2000 mg/m ³	IDLH: 750 ppm Ceiling: 440 ppm 15 min Ceiling: 1800 mg/m³ 15 min TWA: 85 ppm TWA: 350 mg/m³
ETHYL ETHER 60-29-7	STEL: 500 ppm TWA: 400 ppm	TWA: 400 ppm TWA: 1200 mg/m ³ (vacated) TWA: 400 ppm (vacated) TWA: 1200 mg/m ³ (vacated) STEL: 500 ppm (vacated) STEL: 1500 mg/m ³	IDLH: 1900 ppm
CARBON DIOXIDE 124-38-9	STEL: 30000 ppm TWA: 5000 ppm	TWA: 5000 ppm TWA: 9000 mg/m ³ (vacated) TWA: 10000 ppm (vacated) TWA: 18000 mg/m ³ (vacated) STEL: 30000 ppm (vacated) STEL: 54000 mg/m ³	IDLH: 40000 ppm TWA: 5000 ppm TWA: 9000 mg/m ³ STEL: 30000 ppm STEL: 54000 mg/m ³

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

Appropriate engineering controls

Engineering Controls Showers Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Eye/face protection	Wear safety glasses with side shields (or goggles).
Skin and body protection	Wear protective gloves and protective clothing.

Respiratory protection	Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate.
General Hygiene Considerations	Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Appearance Odor Odor threshold	Liquid; Flammable Aerosol Clear, yellow ETHEREAL Strong No information available	
<u>Property</u> pH Melting point / freezing point	<u>Values</u> No information available No information available	Remarks • Method
Boiling point / boiling range		
Flash point	Data not available	
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	1.8	
Lower flammability limit:	4.8	
Vapor pressure	No information available	
Vapor density	2.5	
Relative density	No information available	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	
Other Information		
Softening point	No information available	
Molecular weight	No information available	
VOC Content (%)	No information available	
Density	No information available	
Bulk density	No information available	

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

Chemical stability

Stable under recommended storage conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid Heat, flames and sparks. Excessive heat.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation	May be harmful by inhalation. May cause central nervous system depression with nausea, headache, dizziness, vomiting, and incoordination. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.
Eye contact	Contact with eyes may cause irritation. May cause redness and tearing of the eyes.
Skin contact	May cause skin irritation and/or dermatitis.
Ingestion	Ingestion may cause irritation to mucous membranes. Aspiration may cause pulmonary edema and pneumonitis. May be fatal if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
HEPTANE	-	= 3000 mg/kg (Rabbit)	= 103 g/m³ (Rat)4 h
142-82-5			
ETHYL ETHER	= 1215 mg/kg (Rat)	> 20 mL/kg (Rabbit)	-
60-29-7		, , , , , , , , , , , , , , , , , , ,	

Information on toxicological effects

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization Germ cell mutagenicity Carcinogenicity	No informatio No informatio The table belo	n available.	agency has listed any ing	redient as a carcinogen.
Chemical Name	ACGIH	IARC	NTP	OSHA
ETHYL ETHER 60-29-7	-	Group 3	-	-
IARC (International Agency for Research on Cancer) Not classifiable as a human carcinogen Target Organ Effects Central nervous system, Central Vascular System (CVS), Eyes, Respiratory system, Skin.				

The following values are calculated based on chapter 3.1 of the GHS document .

ATEmix (oral)	4860	mg/kg
ATEmix (dermal)	4023	mg/kg
ATEmix (inhalation-dust/mist)	149 r	ng/l

12. ECOLOGICAL INFORMATION

Ecotoxicity

5.7 % of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
HEPTANE 142-82-5	-	375.0: 96 h Cichlid fish mg/L LC50	10: 24 h Daphnia magna mg/L EC50
ETHYL ETHER 60-29-7	-	2560: 96 h Pimephales promelas mg/L LC50 flow-through 10000: 96 h Lepomis macrochirus mg/L LC50 static	165: 24 h Daphnia magna mg/L EC50

Persistence and degradability

No information available.

Bioaccumulation

No information available.

Mobility

Disperses in water.

Chemical Name	Partition coefficient
HEPTANE 142-82-5	4.66
ETHYL ETHER 60-29-7	0.82

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	U117

Chemical Name	RCRA	RCRA - Basis for Listing	RCRA - D Series Wastes	RCRA - U Series Wastes
ETHYL ETHER	-	Included in waste stream:	-	U117
60-29-7		F039		

This product contains one or more substances that are listed with the State of California as a hazardous waste.

Chemical Name	California Hazardous Waste Status	
HEPTANE	Toxic	
142-82-5	Ignitable	
ETHYL ETHER	Ignitable	
60-29-7	Reactive	

14. TRANSPORT INFORMATION

DOT

UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols, Limited Quantity (LQ) 2.1
IATA UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols 2.1
IMDG UN/ID no Proper shipping name: Hazard Class	UN 1950 Aerosols 2.1

15. REGULATORY INFORMATION

International Inventories		
TSCA	Complies	

DSL/NDSL EINECS/ELINCS	Complies Complies
ENCS	Not determined
IECSC	Not determined
KECL	Not determined
PICCS	Not determined
AICS	Not determined

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
 ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances
 PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

<u>SARA 313</u>

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories	d Categories
--------------------------------	--------------

Acute health hazard	No
Chronic Health Hazard	No
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
ETHYL ETHER	100 lb	-	RQ 100 lb final RQ
60-29-7			RQ 45.4 kg final RQ

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
HEPTANE 142-82-5	Х	X	Х
ETHYL ETHER 60-29-7	Х	X	Х
CARBON DIOXIDE 124-38-9	Х	X	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

Non-controlled

NFPA	Health hazards 2	Flammability 3	Instability 0	- Personal protection B	
HMIS	Health hazards 2	Flammability 3	Physical hazards 1		

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

Revision Date	10-Apr-2015
Revision Note	

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

2

End of Safety Data Sheet