

Revision Date 02-Jun-2023

SAFETY DATA SHEET

Version 5

| 1. IDENTIFICATION | | |
|------------------------------------|-------------------------------|----------------------------------|
| Product identifier Product Name | Gumout Fuel System Treatment | |
| Other means of identification | | |
| Other means of identification | 21052 | |
| Product Code | 31052 | |
| Document | SKU 510015, 510107 | |
| Recommended use of the cher | nical and restrictions on use | |
| Recommended Use | Fuel additive, | |
| Uses advised against | No information available | |
| | | |
| Details of the supplier of the sa | | |
| Supplier Address | Manufacturer Address | Manufactured and Distributed by: |
| ITW Global Brands | | |
| 16200 Park Row, Suite 120 | | |
| Houston, TX 77084 | | |
| Distributor | | May Also Be Distributed by: |
| | | ITW Permatex Canada |
| | | 101-2360 Bristol Circle |
| | | Oakville, ON Canada L6H 6M5 |
| | | Telephone: (800) 924-6994 |
| Company Phone Number | 1-855-888-1988 | |
| 04 h | | |

 Company Phone Number
 1-855-888-1988

 24-hour emergency phone number
 (CHEMTREC) 1-800-424-9300 or 1-703-527-3887 (U.S.)

 (RMPDC) 1-877-504-9352 (U.S.)
 (U.S.)

E-mail address: SDS@itwgb.com

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)


| Carcinogenicity | Category 1B |
|---------------------|-------------|
| Aspiration toxicity | Category 1 |

Label elements

Emergency Overview

<u>Signal word</u> Danger

May cause cancer May be fatal if swallowed and enters airways



Precautionary Statements - Prevention

Obtain special instructions before use Do not handle until all safety precautions have been read and understood Use personal protective equipment as required

Precautionary Statements - Response

If exposed or concerned: Get medical advice/attention

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician Do NOT induce vomiting

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Not applicable

Other Information

May be harmful in contact with skin. Harmful to aquatic life with long lasting effects.

Unknown acute toxicity

5 % of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS No | Weight-% |
|------------------------------|------------|----------|
| DISTILLATES (PETROLEUM), | 64742-47-8 | 60 - 100 |
| HYDROTREATED LIGHT | | |
| DISTILLATES (PETROLEUM), | 64741-86-2 | 1 - 5 |
| SWEETENED MIDDLE | | |
| SOLVENT NAPHTHA (PETROLEUM), | 64742-94-5 | 1 - 5 |
| HEAVY AROM. | | |
| NAPHTHALENE | 91-20-3 | 0.1 - 1 |

4. FIRST AID MEASURES

Description of first aid measures

| General advice | Get medical advice/attention if you feel unwell. |
|----------------|--|
| Eye contact | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| Skin contact | IF ON SKIN:. Wash skin with soap and water. If skin irritation persists, call a physician. Take off contaminated clothing and wash before reuse. |

| Inhalation | IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If symptoms persist, call a physician. | | |
|---|--|--|--|
| Ingestion | IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Call a physician. | | |
| Self-protection of the first aider | Ensure that medical personnel are aware of the material(s) involved and take precautions to protect themselves. | | |
| Most important symptoms and effe | cts, both acute and delayed | | |
| Symptoms | See section 2 for more information. | | |
| Indication of any immediate medica | al attention and special treatment needed | | |
| Note to physicians | Treat symptomatically. | | |
| | 5. FIRE-FIGHTING MEASURES | | |
| <u>Suitable extinguishing media</u> Carbon dioxide (CO2), Use dry chemi | ical, Foam | | |
| <u>Unsuitable extinguishing media</u> None | | | |
| <u>Specific hazards arising from the chemical</u> Combustible material. As this product contains combustible organic components, fire will produce dense smoke containing hazardous products of combustion. | | | |
| Explosion data Sensitivity to Mechanical Impact Sensitivity to Static Discharge | None. None. | | |
| Protective equipment and precaution As in any fire, wear self-contained bree protective gear. | ons for firefighters eathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full | | |
| | 6. ACCIDENTAL RELEASE MEASURES | | |
| Personal precautions, protective ed | quipment and emergency procedures | | |
| Personal precautions | Personal precautions Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin Use personal protective equipment as required. Remove all sources of ignition. | | |
| Environmental precautions | | | |
| Environmental precautions | vironmental precautions See section 12 for additional ecological information. | | |
| Methods and material for containment and cleaning up | | | |
| Methods for containment | Prevent further leakage or spillage if safe to do so. | | |
| Methods for cleaning up | Clean up spill thoroughly as residue is slippery. Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel into suitable containers for disposal. | | |
| Prevention of secondary hazards | Clean contaminated objects and areas thoroughly observing environmental regulations. | | |

7. HANDLING AND STORAGE

Precautions for safe handling

| Advice on safe handling | Handle in accordance with good industrial hygiene and safety practice. Avoid breathing vapors or mists. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Wash contaminated clothing before reuse. Use personal protective equipment as required. |
|--|--|
| Conditions for safe storage, including | ng any incompatibilities |
| Storage Conditions | Keep containers tightly closed in a cool, well-ventilated place. Keep out of the reach of children. |
| Incompatible materials | Strong oxidizing agents |

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Exposure Guidelines

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|---------------|-------------|--------------------------------------|----------------------------|
| NAPHTHALENE | TWA: 10 ppm | TWA: 10 ppm | IDLH: 250 ppm |
| 91-20-3 | S* | TWA: 50 mg/m ³ | TWA: 10 ppm |
| | | (vacated) TWA: 10 ppm | TWA: 50 mg/m ³ |
| | | (vacated) TWA: 50 mg/m ³ | STEL: 15 ppm |
| | | (vacated) STEL: 15 ppm | STEL: 75 mg/m ³ |
| | | (vacated) STEL: 75 mg/m ³ | _ |

NIOSH IDLH Immediately Dangerous to Life or Health

Appropriate engineering controls

| Engineering Controls | Showers | |
|----------------------|---------------------|--|
| | Eyewash stations | |
| | Ventilation systems | |

Individual protection measures, such as personal protective equipment

| Eye/face protection | Wear safety glasses with side shields (or goggles). | |
|--------------------------------|--|--|
| Skin and body protection | Wear protective natural rubber, nitrile rubber, Neoprene™ or PVC gloves. | |
| Respiratory protection | Use NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as appropriate. | |
| General Hygiene Considerations | Handle in accordance with good industrial hygiene and safety practice. Regular cleaning of equipment, work area and clothing is recommended. | |

9. PHYSICAL AND CHEMICAL PROPERTIES

| 9.1. Information on basic physical and chemical properties | | | | |
|--|--|------------------|--|--|
| Physical state | Liquid | | | |
| Appearance | Clear, yellow | | | |
| Odor | Petroleum | | | |
| Odor threshold | No information available | | | |
| Property pH | Values Not Applicable | Remarks • Method | | |
| Melting point / freezing point | No information available | | | |
| Boiling point / boiling range Flash point | No information available No information available | 176°F / 80°C | | |
| Evaporation rate | No information available | | | |
| Flammability (solid, gas) | No information available | | | |
| Flammability Limit in Air | | | | |
| Upper flammability limit: | No information available | | | |
| Lower flammability limit: Vapor pressure | No information available Not Determined | | | |

Vapor density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Hyphen Kinematic viscosity Dynamic viscosity Explosive properties Oxidizing properties

Other Information Softening point Molecular weight Density Bulk density SADT (self-accelerating decomposition temperature) No information available 0.83 @ 60°C Negligible No information available No information available

No information available No information available 0.83 No information available No information available

10. STABILITY AND REACTIVITY

Reactivity

Stable under normal use

Chemical stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Keep away from all heat sources, open flames and other sources of ignition.

Incompatible materials

Strong oxidizing agents

Hazardous Decomposition Products

Carbon oxides

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

| Inhalation | May cause irritation of respiratory tract. |
|--------------|--|
| Eye contact | Contact with eyes may cause irritation. May cause redness and tearing of the eyes. |
| Skin contact | May cause skin irritation and/or dermatitis. |
| Ingestion | Ingestion may cause irritation to mucous membranes. |

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|--------------------|-----------------------|----------------------|
| DISTILLATES (PETROLEUM), HYDROTREATED LIGHT 64742-47-8 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat)4 h |
| DISTILLATES (PETROLEUM), SWEETENED MIDDLE 64741-86-2 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | = 4.6 mg/L (Rat)4 h |
| SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. 64742-94-5 | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 590 mg/m³ (Rat)4 h |
| NAPHTHALENE | = 1110 mg/kg (Rat) | = 1120 mg/kg (Rabbit) | > 0.4 mg/L (Rat)4 h |

 91-20-3
 Symptoms related to the physical, chemical and toxicological characteristics

Symptoms

No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Sensitization Germ cell mutagenicity Carcinogenicity | No informatio No informatio The table bel | n available. | n agency has listed any ingredi | ent as a carcinogen. |
|--|--|---|---------------------------------|----------------------|
| Chemical name | ACGIH | IARC | NTP | OSHA |
| NAPHTHALENE 91-20-3 | A3 | Group 2B | Reasonably Anticipated | Х |
| A3 - Animal Carcinogen IARC (International Age Group 2A - Probably Car Group 2B - Possibly Car NTP (National Toxicolog Reasonably Anticipated - | cinogenic to Humans gy Program) Reasonably Anticipated to be ifety and Health Administrat |) e a Human Carcinogen ion of the US Department c | , | |

| ATEmix (oral) | 5268 mg/kg | |
|-----------------|------------|--|
| ATEmix (dermal) | 2107 mg/kg | |
| | | |

12. ECOLOGICAL INFORMATION

Ecotoxicity

5 % of the mixture consists of component(s) of unknown hazards to the aquatic environment

Persistence and degradability

No information available.

Bioaccumulation

No information available.

<u>Mobility</u>

Disperses in water.

| Chemical name | Partition coefficient |
|--|-----------------------|
| SOLVENT NAPHTHA (PETROLEUM), HEAVY AROM. | 6.1 |
| 64742-94-5 | |
| NAPHTHALENE | 3.6 |
| 91-20-3 | |

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

| Waste treatment methods | |
|-------------------------|---|
| Disposal of wastes | Recover or recycle if possible. Disposal should be in accordance with applicable regional, national and local laws and regulations. |
| Contaminated packaging | Do not reuse container. |
| US EPA Waste Number | U165 |

| Chemical name | RCRA - Halogenated Organic Compounds | RCRA - P Series Wastes | RCRA - F Series Wastes | RCRA - K Series Wastes |
|------------------------|---|------------------------|--|------------------------|
| NAPHTHALENE 91-20-3 | | - | Toxic waste waste number F025 Waste description: Condensed light ends, spent filters and filter aids, and spent desiccant wastes from the production of certain chlorinated aliphatic hydrocarbons, by free radical catalyzed processes. These chlorinated aliphatic hydrocarbons are those having carbon chain lengths ranging from one to and including five, with varying amounts and positions of chlorine substitution. | - |

This product contains one or more substances that are listed with the State of California as a hazardous waste.

| Chemical name | California Hazardous Waste Status |
|---------------|-----------------------------------|
| NAPHTHALENE | Toxic |
| 91-20-3 | |

14. TRANSPORT INFORMATION

DOT

| Proper shipping name | Not regulated |
|------------------------------|---------------|
| IATA Proper shipping name | Not regulated |
| IMDG Proper shipping name | Not regulated |

15. REGULATORY INFORMATION

| International Inventories | |
|---------------------------|-----------------|
| TSCA | Complies |
| DSL/NDSL | Complies |
| EINECS/ELINCS | Complies |
| ENCS | Does not comply |
| IECSC | Complies |
| KECL | Complies |
| PICCS | Complies |
| AICS | Complies |
| | |

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

| Chemical name | SARA 313 - Threshold Values % | |
|-----------------------------------|-------------------------------|--|
| NAPHTHALENE - 91-20-3 | 0.1 | |
| SARA 311/312 Hazard Categories | | |
| Acute health hazard | No | |
| Chronic Health Hazard | No | |
| Fire hazard | Yes | |
| Sudden release of pressure hazard | No | |
| Reactive Hazard | No | |

CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical name | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous Substances |
|---------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| NAPHTHALENE | 100 lb | Х | Х | Х |
| 91-20-3 | | | | |
| 055014 | | | | |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Chemical name | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|---------------|--------------------------|----------------|---|
| NAPHTHALENE | 100 lb | - | RQ 100 lb final RQ |
| 91-20-3 | 1 lb | | RQ 45.4 kg final RQ RQ 1 lb final RQ |
| | | | RQ 0.454 kg final RQ |

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals

| Chemical name | California Proposition 65 |
|---------------|---------------------------|
| NAPHTHALENE | Carcinogen |
| 91-20-3 | |

U.S. State Right-to-Know Regulations

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

WHMIS Hazard Class

D2A - Very toxic materials

| HMIS Health hazards 2 Flammability 2 Ph | NFPA HMIS | Health hazards Health hazards | | Flammability Flammability | | Inst Phy |
|---|--------------|----------------------------------|--|------------------------------|--|-------------|
|---|--------------|----------------------------------|--|------------------------------|--|-------------|

Instability 0

hysical hazards 0

Personal protection B

NFPA (National Fire Protection Association) HMIS (Hazardous Material Information System)

| Revision Date | 02-Jun-2023 |
|---------------|-------------|
| Revision Note | |

Disclaimer

Illinois Tool Works Inc. believes the information contained in this data sheet is accurate as of the date compiled. However, Illinois Tool Works Inc. makes no warranty, express or implied, as to the accuracy, reliability or completeness of the information. User is responsible for evaluating whether such information or this product is fit for a particular purpose and suitable for a particular use or application. The information in this data sheet may not be valid if this product is used in combination with other products or in processes for which it was not designed. Illinois Tool Works Inc. disclaims any liability for consequential or incidental damages of any kind, including lost profits, arising from the sale or use of this product. Ensure you have the most current version of this data sheet by contacting us or reviewing our web

2

End of Safety Data Sheet